FWS/OBS-78/31 June 1978

# Rare and Endangered Vertebrates of the Southeastern United States Coastal Plain

A
Summary of Public Concern
for
Sensitive Wildlife

Fish and Wildlife Service

U.S. Department of the Interior

QH 540 U56 PT | 31 The Biological Services Program was established within the U.S. Fish and Wildlife Service to supply scientific information and methodologies on key environmental issues that impact fish and wildlife resources and their supporting ecosystems. The mission of the program is as follows:

- To strengthen the Fish and Wildlife Service in its role as a primary source of information on national fish and wildlife resources, particularly in respect to environmental impact assessment.
- To gather, analyze, and present information that will aid decisionmakers in the identification and resolution of problems associated with major changes in land and water use.
- To provide better ecological information and evaluation for Department of the Interior development programs, such as those relating to energy development.

Information developed by the Biological Services Program is intended for use in the planning and decisionmaking process to prevent or minimize the impact of development on fish and wildlife. Research activities and technical assistance services are based on an analysis of the issues a determination of the decisionmakers involved and their information needs, and an evaluation of the state of the art to identify information gaps and to determine priorities. This is a strategy that will ensure that the products produced and disseminated are timely and useful.

Projects have been initiated in the following areas: coal extraction and conversion; power plants; geothermal, mineral and oil shale development; water resource analysis, including stream alterations and western water allocation, coastal ecosystems and Outer Continental Shelf development; and systems inventory, including National Wetland Inventory, habitat classification and analysis, and information transfer.

The Biological Services Program consists of the Office of Biological Services in Washington, D.C., which is responsible for overall planning and management; National Teams, which provide the Program's central scientific and technical expertise and arrange for contracting biological services studies with states, universities, consulting firms, and others; Regional Staff, who provide a link to problems at the operating level; and staff at certain Fish and Wildlife Service research facilities, who conduct inhouse



RARE AND ENDANGERED VERTEBRATES
OF THE SOUTHEASTERN
UNITED STATES COASTAL PLAIN

A Summary of Public Concern For Sensitive Wildlife

by
Steven P. Christman
and
Wallace S. Lippincott, Jr.
National Fish and Wildlife Laboratory
U.S. Fish and Wildlife Service
412 N.E. 16th Avenue, Room 250
Gainesville, Florida 32601

Project Officer
Donald II. Woodard
National Coastal Ecosystems Team
U.S. Fish and Wildlife Service
NSTL Station, Mississippi 39529

This study was conducted in cooperation with the Office of Endangered Species, U.S. Fish and Wildlife Service.

Performed for National Coastal Ecosystems Team Office of Biological Services Fish and Wildlife Service U.S. Department of the Interior

# DISCLAIMER

The opinions, feelings, conclusions, and recommendations expressed in this report are those of the authors and do not necessarily reflect the views of the Office of Biological Services, Fish and Wildlife Service, U.S. Department of the Interior, nor does mention of trade names or commercial products constitute endorsement or recommendation for use by the Federal Government.

# **PREFACE**

The information contained in this report was collected during the development of a format to be recommended for the preparation of species accounts for endangered and threatened species in the coastal area of Southeastern United States. Frequently, respondents to our inquiries requested information about which species were cited as endangered or threatened by neighboring States. This report was prepared to help meet the need to know where species are protected and which species are being proposed by groups having a special interest in endangered or threatened species.

Any suggestions or questions regarding Rare and Endangered Vertebrates of the Southeastern United States Coastal Plain--a summary of public concern for sensitive wildlife should be directed to:

Information Transfer Specialist National Coastal Ecosystems Team U.S. Fish and Wildlife Service National Space Technology Laboratories NSTL Station, Miss. 39529

This report should be cited as follows:

Christman, S. P., and W. S. Lippincott, Jr. 1978. Rare and endangered Vertebrates of the Southeastern United States Coastal Plain--a summary of public concern for sensitive wildlife. Office of Biological Services, Fish and Wildlife Service, U.S. Department of the Interior. FWS/OBS-78/31. 46 p.

# CONTENTS

										PAGE
PREFACE		•								iii
INTRODUCTION		•						•		1
RARE AND ENDANGERED	VERTEBRATES		 •					•		9
FISH									•	9
AMPHIBIANS				 •						16
REPTILES										19
BIRDS								•		26
MAMMALS										39

#### INTRODUCTION

The table beginning on page 11 collates all available lists of rare and endangered vertebrate species occurring on the Coastal Plain of the southeastern United States. The area considered consists of terrestrial and aquatic habitats from the Potomac River to the Rio Grande and extends inland a distance of 100 km. The cetaceans have been omitted.

Listed species within the five vertebrate classes are grouped by order and alphabetized by common name. Scientific names are provided. The status of each species, as it appears on each list, is indicated in the appropriate column in the table. A total of 479 species is listed under one or more of several categories of endangerement on one or more of 24 rare and endangered species lists.

We have divided the various rare and endangered species lists into two basic types: PROTECTED refers to official Federal, State, or international treaty lists which provide legal protection for the species they list. LISTED refers to those lists which are not accompanied by protective legislation, such as those rare and endangered species lists compiled by academic or conservation groups.

The information in the table has been confirmed up-to-date as of 1 January 1978 and includes species added since the original publication of the various lists.

The lists reviewed and the categories of endangerment (with their abbreviations) follow:

# PROTECTED

(Lists accompanied by protective legislation)

- U.S. Department of the Interior, Fish and Wildlife Service. 1977.
  International trade in endangered species of wild fauna and flora implementation of the convention. Federal Register 42(35):10462-10488.
  - App. I (Appendix I) All species threatened with extinction which are or may be affected by trade.
  - App. II (Appendix II) All species which, although not necessarily now threatened with extinction may become so unless trade in specimens of such species is subject to strict regulations in order to avoid utilization incompatible with their survival; and other species which must be subject to regulations in order that trade in specimens of certain species referred to (above) may be brought under effective control.
- U.S. Department of the Interior, Fish and Wildlife Service. 1977. Endangered and threatened wildlife and plants republication of list of species. Federal Register 42(135):36420-36431.
  - <u>E (Endangered)</u> Those species in danger of extinction throughout all or a significant portion of their range.

 $\underline{T}$  (Threatened) - Those species likely to become endangered within the foreseeable future throughout all or a significant portion of their range.

The following States have signed cooperative agreements with the U.S. Fish and Wildlife Service and, in doing so, agree to protect all Federally listed species: Florida, Georgia, North Carolina, South Carolina, and Virginia.

VA Virginia has no official State list.

NC

SC

GA

North Carolina Wildlife Resources Commission. 1977. Endangered and threatened species. Regulations 15 NCAC 10I. Raleigh.

 $\underline{E}$  (Endangered) - Any resident species of wildlife which is in danger of extinction throughout all or a significant portion of its range, or any resident species which is designated as endangered under the provisions of the Federal Endangered Species Act of 1973.

<u>T (Threatened)</u> - Any resident species of wildlife which is likely to become an endangered species in the foreseeable future throughout all or a significant portion of its range, or any resident species which is designated as threatened under the provisions of the Federal Endangered Species Act of 1973.

South Carolina Wildlife and Marine Resources Department. 1975. Endangered wildlife species of South Carolina. Columbia.

E (Endangered) - Any species or subspecies of wildlife whose prospects of survival or recruitment within the State are in jeopardy or are likely within the foreseeable future to become so due to any of the following factors: (a) the destruction, drastic modification, or severe curtailment of its habitat, or (b) its overutilization for scientific, commercial, or sporting purposes, or (c) the effect on it of disease, pollution, or predation, or (d) other natural or manmade factors affecting its prospects of survival or recruitment within the State, or (e) any combination of the foregoing factors. The term shall also be deemed to include any species or subspecies of fish or wildlife appearing on the United States' List of Endangered Native Fish and Wildlife as it appears on the effective date of this act (Part 17 of Title 50, Code of Federal Regulations, Appendix D) as well as any species or subspecies of fish and wildlife appearing on the United States' List of Endangered Foreign Fish and Wildlife.

Georgia Department of Natural Resources, Game and Fish Division. [1975?] Rules and regulations for the protection of endangered, threatened, rare or unusual species. Atlanta.

E (Endangered) - Any resider conc which is in danger of extinction throughout all or a significant port on of its range, or one which is designated as endangered under the povisions of the Federal Endangered Species Act of 1973.

<u>T (Threatened)</u> - Any resident species which is likely to become an endangered species within the foreseeable future, or one that is designated as threatened under the provisions of the Federal Endangered Species Act of 1973.

 $\underline{R}$  (Rare) - Any resident species which, although not endangered or threatened as previously defined should be protected because of its scarcity.

<u>U (Unusual)</u> - Any resident species which exhibits special or unique features and because of these features deserves special consideration in its continued survival in the State.

FL Florida Game and Fresh Water Fish Commission. 1977. Wildlife code of the State of Florida. Tallahassee. 159 pp.

<u>E (Endangered)</u> - A species which is in danger of extinction throughout all or a significant portion of its range.

<u>T (Threatened)</u> - A species which may become an endangered species within the foreseeable future.

AL Alabama has no official State list.

MS Mississippi Game and Fish Commission. 1977. An order and regulations adopting an official list of endangered or threatened vertebrates of Mississippi. Public notice No. 1916. Jackson.

<u>E (Endangered)</u> - A species which is in danger of extirpation throughout all or a significant portion of its range in the State.

<u>T (Threatened)</u> - A species which may become an endangered species within the foreseeable future in the State.

LA Louisiana has no official State list.

TX Texas Parks and Wildlife Department. 1976. Regulations for taking, possessing, transporting, exporting, processing, selling or offering for sale, or shipping endangered species. 127.30.09.001-.006. Austin.

<u>E (Endangered)</u> - Fish or wildlife are classified as endangered species if they appear on the present United States list of endangered foreign or native fish and wildlife (50 C.F.R., Part 17), or if they are threatened with statewide extinction due to any of the following factors: The destruction, drastic modification or severe curtailment of its habitat; the overutilization of it for commercial or sporting purposes; the effect on it of disease or predation; or other natural or man-made factors affecting its continued existence.

PE (Proposed Endangered) - Self-explanatory.

#### LISTED

(Lists not accompanied by protective legislation)

VA Russ, Wayne P. 1973. The rare and endangered terrestrial vertebrates of Virginia. M.S. Thesis. Virginia Polytechnic Inst., Blacksburg. 339 pp.

<u>E (Endangered)</u> - A species or subspecies which is in danger of extinction throughout its range or one which is in danger of extirpation in Virginia unless assistance is given.

R (Rare) - A species or subspecies which, although it is not immediately threatened with extinction, is in such small numbers throughout its range that it may become endangered if its environment deteriorates or one that, although it may be plentiful outside of Virginia borders, is restricted to a few localities or an explicit habitat within Virginia where ecological alteration may lead to endangerment.

NC (ETBNC)

Cooper, John E., Sarah S. Robinson, and John B. Funderburg, eds. 1977. Endangered and threatened plants and animals of North Carolina. North Carolina St. Mus. Nat. Hist., Raleigh. 444 pp.

<u>E (Endangered)</u> - A species whose continued existence as part of the State biota is clearly and imminently at hazard; a species in danger of extinction or extirpation.

<u>T (Threatened)</u> - A species likely to become endangered within the fore-seeable future if certain conditions are not met; a species which exhibits a considerable decrease in numbers deemed beyond the limit of normal fluctuation, or documented range contraction, but which is not yet considered endangered.

SC (Of Special Concern) - A species which exists in small populations (is rare) over a relatively broad range; is targeted for exploitation which could become extensive enough to pose a threat; which because of certain characteristics or requirements is especially vulnerable to specific pressures; or which is so designated for other reasons by experienced investigators.

<u>SU (Status Undetermined)</u> - A species for which insufficient data exist for precise assessment.

EXTIR (Extirpated) - Self-explanatory.

NC (NCNHP)

North Carolina Natural Heritage Program. 1977. Special animal species. North Carolina Dep. Nat. Econ. Resour., Raleigh.

E (Endangered), T (Threatened), SC (Of Special Concern), SU (Status Undetermined), Extir (Extirpated) - Same definitions as used in Symposium on Endangered and Threatened Biota of North Carolina (see above).

SC (SCHTP)

South Carolina Heritage Trust Program. 1977. Animal species of concern. South Carolina Wildl. Mar. Kesour. Dep., Columbia.

SC (Special Concern) - Not defined.

GA (ESG)

McCollum, Jerry L., ed. 1974. Endangered species of Georgia. Proceedings of the 1974 conference sponsered by Georgia Dep. Nat. Resour. at Fernbank Sci. Ctr., Atlanta on May 3-4, 1974. 66 pp.

<u>E (Endangered)</u> - Any species which is in danger of extinction throughout all or a significant portion of its range in the State or one that is designated as endangered under provisions of Public Law 93-205.

<u>T (Threatened)</u> - Any species which is likely to become an endangered species within the foreseeable future within the State or one that is designated as threatened under provisions of Public Law 93-205.

<u>R/U (Rare or Unusual)</u> - Species with small populations in the State which, though not presently endangered or threatened as previously defined, are potentially at risk.

<u>SU (Status Undetermined)</u> - Species that are suspected of falling into one of the categories defined above, but for which available data are insufficient to provide a clear basis for decision.

EXTINCT - Self-explanatory.

# FL (FCREPA)

Layne, James N., ed. 1976. Inventory of rare and endangered biota of Florida. Florida Audubon Soc. Florida Def. Environ. Microfilm. 1152 pp.

 $\underline{\text{E (Endangered)}}$  - Taxa in imminent danger of extinction or extirpation and whose survival is unlikely if the causal factors presently at work continue operating.

<u>T (Threatened)</u> - Taxa believed likely to move into the Endangered category in the near future if the causal factors now at work continue operating.

<u>R (Rare)</u> - Taxa with small populations in the state which, though not presently endangered or threatened, are potentially at risk.

<u>SC (Species of Special Concern)</u> - A species that does not clearly fit into the endangered, threatened or rare category yet which, for certain reasons, warrants special attention.

<u>SU (Status Undetermined)</u> - Taxa which are suspected of falling into one of the above categories but for which the available data are insufficient to provide the basis for a decision.

REC EXTINCT (Recently Extinct) - Self-explanatory.

REC EXTIR (Recently Extirpated) - Self-explanatory.

# AL (ETPAA)

Boschung, Herbert, ed. 1976. Endangered and threatened plants and animals of Alabama. Bull. Alabama Mus. Nat. Hist. 2: 1-92.

<u>E (Endangered)</u> - Are those species in danger of extinction throughout all or a significant portion of their range in Alabama. Endangered species are those whose prospects for survival are in immediate jeopardy. An endangered species must have help, or extinction and/or extirpation from Alabama will probably follow.

<u>T (Threatened)</u> - Are those species which are likely to become endangered within the foreseeable future throughout all or a significiant portion of their range in Alabama.

<u>SC (Special Concern)</u> - Are those species which must be continually monitored because eminent degrading factors, their limited distribution in Alabama or other physical or biological characteristics may cause

them to become threatened or endangered in the foreseeable future.

EXTINCT - Self-explanatory.

EXTIR (Extirpated) - Self-explanatory.

MS (RTVM) Rare and Endangered Species Committee and Mississippi Game and Fish Commission. 1975. A preliminary list of rare and threatened vertebrates in Mississippi. Jackson. 29 pp.

<u>E (Endangered)</u> - A species which is in danger of extinction throughout all or a significant portion of its range in the State.

<u>T (Threatened)</u> - A species which may become endangered within the foreseeable future in the State.

R (Rare) - A species which is in such small numbers throughout its range in Mississippi that it may be threatened or endangered if its environment worsens.

<u>SU (Undetermined)</u> - A species which has been suggested as possibly threatened or endangered but about which there is not enough information to determine its status.

<u>PER (Peripheral)</u> - A species whose occurrence in Mississippi is at the edge of its natural range.

EXTINCT - Self-explanatory.

MS (MSNHP)

Mississippi Natural Heritage Program. 1977. Special animal species. Mississippi Parks Comm., Bur. Outdoor Recreation, Jackson.

 $\underline{\text{E (Endangered)}}$  - Those species in danger of extinction throughout all or a significant portion of their range in the State.

<u>T (Threatened)</u> - Those species likely to become endangered within the foreseeable future throughout all or a significant part of their range.

<u>R (Rare)</u> - Those species which have small and scattered populations throughout their range but which have not been designated endangered or threatened.

<u>PER (Peripheral)</u> - Those species rare or localized in the state because they are at the outer limits of their range. These species may be quite abundant elsewhere.

SC (Special Concern) - Not defined.

TX (TOES) Texas Organization for Endangered Species. 1973-74. Summary statements on rare, endangered, and peripheral fishes, amphibians, reptiles, birds, and mammals in Texas. Baylor Univ., Dep. Biol., Waco.

E (Endangered) - Immediate threat to extirpation from Texas fuana.

 $\frac{R \text{ (Rare)}}{\text{stricted}}$  - Population numbers are low over a wide area or common in restricted area.

D (Declining) - Populations appear less numerous today.

PER (Peripheral) - At the edge of their range in Texas.

IUCN International Union for Conservation of Nature and Natural Resources. 1966, 1968, 1972. Red data book. 3 vols. Morges, Switzerland.

E (Endangered) - In immediate danger of extinction.

R (Rare) - Not in immediate danger of extinction, but occurring in such small numbers and/or in such a restricted or specialized habitat that it could quickly disappear. Also includes V (Vulnerable).

<u>D (Depleted)</u> - Although still occurring in numbers adequate for survival, the species has been heavily depleted and continues to decline at a rate which gives cause for serious concern.

<u>SU (Indeterminant)</u> - Apparently in danger, but insufficient data available.

OD (Out of Danger) - Not defined.

SSAR

SEWS Southeastern Section of The Wildlife Society. 1974. Endangered species workshop. Tallahassee, Florida.

E (Endangered), T (Threatened), SU (Status Undetermined), SC (Special Concern), PER (Peripheral), EXTINCT - Not defined.

AFS Miller, R. R. 1972. Threatened freshwater fishes of the United States. Trans. American Fish. Soc., 101(2):239-252.

<u>E (Endangered)</u> - Actively threatened with extinction; continued survival unlikely without implementation of special protective measures.

R (Rare) - Not under immediate threat of extinction but occurring in such small numbers and/or in such a restricted or specialized habitat that it could quickly disappear. Requires careful watching.

<u>D</u> (Depleted) - Although still occurring in numbers adequate for survival, the species has been heavily depleted and continues to decline at a rate substantially greater than can be sustained.

<u>SU (Indeterminant)</u> - Apparently threatened but insufficient data presently available on which to base a reliable assessment of status.

Ashton, Ray E. 1976. Endangered and threatened amphibians and reptiles in the United States. Soc. Study Amphib. Rept., Misc. Publ., Herpetol. Circ. 5. 65 pp.

Taxa are classified with respect to their status in each State. The State abbreviation follows the classification on the table.

<u>E (Endangered)</u> - A taxon that has become reduced in numbers throughout its range (or had its habitat reduced) to such a point that reproductive populations are extremely small or vulnerable to extirpation.

<u>T (Threatened)</u> - A taxon that is represented in only a limited part of what was once its total range, with reduced populations due to habitat destruction or poor State or Federal management.

R (Rare) - Those species or subspecies that are considered rare throughout the State or are found in environmental conditions disjunct from the normal geographic range of the species.

<u>PER (Peripheral)</u> - Those species or subspecies that reach the edge of their range in a State.

EXTIR (Extirpated) - Those taxa that have become extirpated in a State, for which there have been no verified specimens observed or collected for 25 years.

AOU American Ornithologists' Union. 1975. Report of the American Ornithologists' Union Committee on Conservation. Auk 92(4, suppl.):1B-16B.

Categories assigned here on the basis of narrative provided in the AOU list.

AB Arbib, Robert. 1976. The Blue List for 1977. American Birds 30 (6): 1031-1039.

<u>BL (Blue List)</u> - Those species which for any reason are now or seem to be substantially reduced in numbers either regionally or throughout their range.

FISH				-				-					1			LISTED	Eυ						
	ns	CITES	SNC	SC	Š	=	WS	ř	RUSS	ETBNC	ETBNC NCNHP SCHTP	SCHTE	ESG	FCREP.	FCREPA ETPAA	R TVM	RTVM MSNHP	TOES IUCN	NCN	SEWS	AFS	SSAR /	AOU
Lampreys (Petromysontifornes)																							
Lamprey, chestnut (Ichtbyomyson castaneus)		111															sc						
Lamprey, sea (Petromyson marinus)		E												×									
Sturgeons (Acipenseriformes)																						-	
Paddlefish (Polyadon sparula)								E .		ш	ш					sn	SC	PER					
Sturgeon, Atlantic (Acipenser oxyrbynchus)		App. I	-			F	Œ			sc	sc	sc	su	Т	F	E	ш				Q		
Sturgeon, Palid (Scapbirbynebus albus)																	PER				~		
Surgeon, shormose (Acipenser brevirostrum)	(1)	App. I	m	EL	ш	ш				ш	ш	sc	as	×						ъ.)			
Sturgeon, shovelnose (Scapbirbynchus platorynchus)								<b>P</b>							Œ			PER		8	Q		
Sturgeon, undercribed (Scapbirbynchus sp.) (Mississippi)							ш									ш	ы						
Trout and Relatives (Salmoniformes)																							
Mudminnow, eastern (Umbra pygmaea)								_						×									
Minnows (Cypriniformes)																							
Carpsucker, river (Carpsodes carpio)											sc												
Chub, speckled (Hybopra aestradis)						T								Т									

			2	PRO	PROTECTED	5			L							SIT	LISTED							
FISH	ns	CITES	NC	sc	CA	FL	MS	TX	RUSS	ETBNC	ETBNC NCNHP SCHIP	SCHI	P ESG		FCREPA ETPAA		RTVM MSNHP	TOES	IUCN	SEWS	AFS	SSAR	AOU	AB
Minnows (cont'd)																								
Chub, undescribed (Hybopsis sp. 1) (North Carolinu)										SC	SC													
Chub, undescribed (Hybopus sp. II) (Nortb Carolma)										SC	sc													
Minnow, cypress (Hybograthus bayi)						-								-						ļ				
Redhorse, greyfin (Moxostoma sp.) (Florida)				-		-								-										
Redhorse, river (Moxostoma camatum)				ļ		-							. RV	-	-	ļ					ш			
Shiner, bandfin (Notropis somistius)									<u> </u>					~				ļ						ļ
Shiner, blackmouth (Notropis sp.) (Florida)						-			ļ					REC EXT		-				-				
Shiner, bluenose (Notropis welaka)													R/U	sc		~	~				~			
Shiner, bluestripe (Notropis callitaenia)						<b>-</b>							-	<u>+</u>	SC			ļ		-				
Shiner, bridle (Notropis bifrenatus)										EX- TIR?	Ħ			-		-				ļ				ļ
Shiner, broadstripe (Notropis eurysonus)															sc									
Shiner, Cape Fear (Notropis mekistocholas)										sc	sc											-		
Shiner, coaral (Notropis petersoni)																SU/ PER	PER							
Shiner, dusky (Notropu cummingsae)														SC	SC									

\*This species has been recently (1976) rediscovered in Florida (C. Gilbert, pers. comm.)

				PRO	PROTECTED	0										LISTED	ED ED						
FISH	us	спе	SNC	SC	CA	FL	MS	ΤX	RUSS		ETBNC NCNHP SCHTP	SCHTP	ESG		FCREPA ETPAA RTVM MSNHP TOES 1UCN	RTVM	MSNHP	TOES	SEWS	AFS S	SSAR	AOU	AB
Minnows (cont'd)																							-
Shiner, ironcolor (Notropit chalybaeus)																SU/ PER	PER						
Shiner, Ohoopee (Notropia leedsi)														œ								<del>                                     </del>	
Sucker, blue (Cycleptus elongatus)													Su		သွ	SU	×						
Catfishes (Silaniformes)																					-		
Bullhead, snail Octalarus brumens)														×									
Bullhead, spotted (Ictalurus serracantbus)														×									
Madtom, Ceroline (Noturus furiosus)										8	8								SC		-		
Madtom, frecklebelly (Noturus munitus)							ш								ēī	ш	ш		-	Δ			
Madtom, undescribed (Noturus sp.) (North Carolina)										ß	8								SC				
Silversides and Topminnows (Atheriniformes)																							
Gambuzia, mangrove (Gambuzia rbriopborce)														H						-			
Külifish, blucfin (Lucamis gooder)												S	R/U		SC								
Kilifreh, southern Gulf (Fundalus grandis seguanus)														F									
Killifish, southern longnose (Fundulus similis ssp) (Florida)														H									

				PROI	PROTECTED										LISTED	D							_
FISH	us	CITES	NC	sc	GA	FL	WS	тх	RUSS		ETBNC NCNHP SCHTP	ESG FC	FCREPA ETPAA	TPAA R	RTVM MSNHP	SNHP	TOES IU	IUCN SI	SFWS /	AFS S	SSAR A	AOU /	AB
Silversides and Topminnows (cont'd)																							
Killifish, marsh (Fundulus confluentus)										8	25								-				
Killifah, pigmy (Leptolucania ommata)														SC R	R/PER	œ							
Killifish, Keys rainwater (Lucania sp.) (Florida Keys)												 	H										
Killifish, spotfin (Fundulus luciae)										SC	×			-									
Killifish, Waccamaw (Fandalus vaccamensis)										Τ	3							,,,,	so	~			
Minnow, sheepshead (Cyprinodon variegatus) (Florida Keys)													<b>-</b>										Ī
Molly, Keys sailfin (Poecilia sp.) (Florida Keys)													_										
Pupfish, Lake Eustis (Cyprinodon vanegatus bubbsi)						L						 	-										
Rivulus (Rivulus marmonatus)						T							⊢										
Silveraide, Key (Menidia concborum)						Ή							m							R, E			
Silverside, Waccamaw (Menidia extensa)										T	ш								25	~			
Topminnow, banded (Fundulus cingulates valenciennes)														33									
Topminnow, salt marsh (Fuedulus jenkinsi)						T							T										
												 									··		

				<u>-</u>	PROTECT	CTED											LISTED	TED							
FISH	OS	CITES		NC S	sc	GA	FL	WS	ΤX	RUSS	ETBNC	ETBNC NCNHP SCHTP	SCHTP	ESG	FCREPA	FCREPA ETPAA RTVM MSNHP TOES	RTVM	MSNH	TOES	IUCN	SEWS	AFS	SSAR	AOU	νB
Pipefishes and Relatives (Gasterosteiformes)																						ļ			<b>↓</b>
Pipefish, opossum (Oostetbus lineatus)			-												œ								ļ		
Perches and Relatives (Perciformes)	Щ																								ļ
Bass, Apalachicola redeyc (Micropserus coosae)			-								SC	SC													
Bass, shoal (Micropterus sp.) (Florida)							H								۲	SC SC					-				
Bass, spotted (Micropterus punctulatus)								4.0				SC													
Bass, striped (Morone saxatilis)																	R/PER	×							
Bass, Suwannee (Micropterus notias)							F							so	æ							~			ļ
Blenny, created (Hypleurochilus geminatus)											8	SC												·	
Blenny, freckled (Hypsoblemmiss ionthus)									1.1		8	S													
Blenny, Key (Starksia starcki)							н								F										
Blenny, seaweed (Blennins marmoreus)											ß	ß													ļ
Croaker, striped (Bairdiella semetaetachee)							1								æ										<u> </u>
Derres, crystal (Ammocrypte asprelle)							-	ω							F	H	ш	ш			F	۵			
Darter, cypress (Etheostoma proellare)							F								۲										

				PRO	PROTECTED	a			-							-	LISTED							
FISH	ns	CITES	S	SC	CA	FL	MS	XT S		RUSS ETBI	NCN	ETBNC NCNHP SCHTP	TP ESG		FCREPA ETPAA RTVM MSNHP	AA RTV	M MSN	HP TOFS	FS IUCN	N SFWS	S AFS	SSAR	AOU	AB
Perches and Relatives (cont'd)																								
Darter, freekied (Percna lenticula)													R/U	ם	ь	~	~			Т	Я,			
Darter, goldstripe (Etbeostoma paraipsme)														Ε						- SC				
Darter, harlequin (Etbeostoma bistrio)						-	_							-	_									
Darter, Okaloosa (Etbeostoma okaloosae)	त्म					(F)								(a)						ш	R,E(?)	- <u>~</u>		
Darter, pinewoods (Etheostoma mariae)										S	Sc	E)												
Darter, rainbow (Etbeostoma caeruleum)																					×			
Darter, saluda (Etbeostoma suludae)												SC	£ 3											
Darter, western sand (Ammocrypta clara)									_											8				
Darter, stargazing (Percina ouachiae)						-									1									
Darter, southern tesselated (Etheostoma olmstedi)						1									-									
Darter, Waccamaw (Etheostoma perlongum)										-	ш									sn	~			
Goby, lyre (Evortbodus lyricus)										SC	8													
Goby, river (Awaous tajasica)															~									
Goby, spottail (Gobionellus stigmaturus)														Т	t									

				PRO	PROTECTED											LISTED	q			!				
FISH	ns	CITES	SNC	SC	СА	FE	MS	Ϋ́	RUSS	ETBNC	RUSS ETBNC NCNHP SCHTP		ESG F	CRFPA	FCREPA ETPAA RTVM MSNHP	RTVM	1SNHP	TOFS	IUCN S	SFWS	AFS S	SSAR	AOU	AB
Perches and Relatives (cont'd)																								
Logperch (Percina caprodes)											۲					SU/ PER	PER							
Mullet, mountain (Agonossomus monticola)		:						,						œ										
Sculpin, lowland banded (Cottus carolinae infernatus)							ļ																	
Sleeper, fat (Dormitator maculatus)										8	S													
Sleeper, spinycheek (Eleotris pisosis)										×	SC											<del> </del>		
Sunfish, black-banded (Emneacantbus chaetodon)		-											R/U	œ										<u> </u>
Sunfish, blue-spotted (Emneacanthus gloriosus)																SU/ PER	PER							
Sunfish, mud (Acambarchus pomotis)				-										Œ										
Shad and Relatives (Clupeiformes)																								
Alewise (Alosa pseudobarengus)										T														
Herring, blueback (Alota aestivalis)										1														
Shad, Alabama (Alosa alabamae)													so											
Shad, American (Alosa sapidissima)										Т		S												
Shad, hickory (Alosa mediocrit)										F														

				Y.	PROTECTED	'FD										SIT	LISTED							
AMPHIBIANS	OS	CITES	ES NC	C SC	-	A.	]	MS I	IX RU	RUSS ETE	BNC NC	ETBNC NCNHP SCHTP		ESG FCRE	FCREPA ETPAA		RTVM MSNHP	P TOES	IUCN	SEWS	AFS	SSAR	AOU .	AB
Sirens (Trachystomata)																								
Dwarf siren, broad-striped (Pseudobnanchus s. striatus)													sc											
Dwarf siren, Gulf Hammock (Pseudobranchus s. lustricolus)							-							su						sn		R(FL)		
Greater siren (Siren lacertma)				-			-			œ					SC							PER (AL, VA)		
Salamanders (Urodela)																								
Amphiuma, one-toed (Amphrama pholeter)														~						sc		T(FL)		
Blind salamander, Georgia (Haideotriton vallacei)			-		-	n								E								E(GA), T(FL)		
Flatwoods salamander (Ambystoma emgulatum)	1				-								SC R/	R/U						su		E(AL). T(SC)		
Four-toed salamander (Hemidactylium scutatum)			+	-	-					s	s ns	S	SC R	R/U R		~	~					25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25.05. 25		
Long-tailed salamander (Eurycea I. Iongicauda)					-	-					-	-										PER (MS, NC)		Ī
Many-lined salamander (Stere ocbilus marginatus)												S	SC R	R/U R								R(GA). PER (FL)		
Mabee's salamander (Ambystoma mabeei)					-							s	SC	R/U										
Mole salamander (Ambystoma talpoideum)						-				S	SCS	SC				~	~			sc		R(MS), PER (TX)		
Mud salamander, Gulf coast (Paeudotriton montanus flavissimus)												S	SC R	R/U								E(GA)		
Mud salamander, rusty (Pseudotriton m. floridenus)						=							~	R/U										

				PR	PROTECTED	a			_							<del>`</del>	LISTED							
AMPHIBIANS	US	CITES	SS NC	) SC	CA	FL	WS	S TX	RUSS	S ETB	ETBNC NCNHP SCH1P	1P SCH1		FCREP	ESG FCREPA ETPAA		RTVM MSNHP	P TOES	ECN	SEWS	AFS	SSAR	AOU	AB
Salamanders (cont'd)																								
Newt, broken-striped (Notopbibalmus windescens dorsalis)												SC												
News, striped (Notophibalmus perstructus)													R/U	~						su		T(FL), PER (GA)		
Red-backed salamander, eastern (Pletbodon c. cimereus)																						E(LA)		
Red-hills salamander (Pbæognatbus bubnebti)	Τ														ы					-		T(AL)		
Red salamander, northem (Pseudotriton r. ruber)																						PER (MS)		
Red salamander, southern (Pseudotnton r. troscar)																						E(LA)		
Seal salamander, Appalachian (Desmograthus m. monticola)														~								PER (FL)		
Three-lined salamander (Eurycea longicauda guttolmeata)												SC												
Tiger salamander, eastern (Ambystoma t. rigrnum)								 		sn	sc					~	×			SC		E(LA), R(MS)		
Waterdog, dwarf (Necturus punctatus)									m			sc										E(VA)		
Waterdog, Neuse River (Necturus leursi)										SC	sc									SC		T(NC)		
Frogs and Toads																								
American toad (Bufo americanus)											-											PER (TX)		
Carpenter frog (Rana virgatipes)									H			SC		×								T(VA). PER (FL)		

				PRC	PROTECTED	_			_							Ξ	HSTED							
AMPHIBIANS	us	CITES	S	SC.	GA	11.	WS	1.X	RUSS		ETBNC NC NHP SCHIP	HP SCH	IP ESG		FCREPA EIPAA		HTVM MSNHP	HP TOES	S HICN	SEWS	AFS	SSAR	AOU	AB
Frogs and Loads (cont'd)																								
Chorus frog, Brinley's (Pseudaerts brimkyn)												SC		3										
Chorus frog, opland (Pscudacris triseriata fenarum)												sc												
Gopher frog, Carolina (Rana arrolata capito)			ļ			-				SC	sc	SC	3				<u> </u>			-		T(GA)		
Gopher frog, dusky (Ranu a serosa)									_						-	~	~			-		T(AL), R(MS)		
Gopher frog. Florida (Rana a. actopus)						-							R/U	-				-		H		T(FL, GA)		
Green frog. (Rana clamitam melanota)																PER						PER (MS)		
Gulf Coast toad (Bufo valiceps)																PER	PER					PER (MS)		
Houston tond (Rufo boustonensus)	ы							E										<u>m</u>	ш	ш		E(TX)		
Little grass frog (Limnaoedus ocularis)									~						sc		<u> </u>					PER (AL)		
Mexican burrowing toad (Rbmopbrynus dorsdis)																		PER				R(TX)		
Oak toad (Bufo querocus)									~															
Pig frog (Rana grylio)												sc										PER (TX)		
River frog (Rana beckscberi)												sc			sc	K/PER	*					2.57 3.57 3.57 3.57 3.57 3.57 3.57 3.57 3		
Treefrog, barking (Hyla gratiota)									×															

				PRO	PROTECTED											LISTED	a							
AMPHIBIANS	ns	CITES	SC.	SC	CA	FL	MS	ТХ	RUSS	E I BNC	EIBNC NCNHP SCHTP		ESG F	FCREPA ETPAA		RTVM	MSMHP	TOES	ICCN	SEWS	AFS S	SSAR	AOU	AB
Frogs and Toads (cont'd)																								
Treefrog, bird-voiced (Hyla arrivoca)												SC												
Treefrog, pine barrens (Hyka andersomi)	E (FI ONLY)			ъ		田				F	ь	SC	स्र	ъ					~	E.	NO M	E(FL, GA, SC)	-	
Treefrog, squirrel (1tyla squirella)									æ															
White-lipped frog (Leptodactylus labialis)																		PER				PER (TX)		
REPTILES																						<del> </del>		
Grocodilians (Crocodilia)																								
American alligator (Alligator mississippiensis)	E&T	E&T App. I	ഥ		ம	-	ы	Ħ		ш	Э	SC	ш	sc	j-s	ш	ш	ы	00	SC	MOZES	COANS NCSC TX)T (FL)		,
American crocodile (Crocodylus acutus)	ഥ	App. II				Ħ								123	EXTIR				Œ.	len		E(FL)		
Turtles (Testudinata)																								
Alligator snapping urtle (Macroclemys temminckt)														ns		×	×			SC	H 2	T(MS) R(FL)		
Big Bend turde (Cbrysemys scripta gaigeae)																						R(TX)		
Box turde, Florida (Terrapene carolina bauri)													R/U											
Box turde, Gulf Const (Terrapene c. major)													RVU											
Box turtle, three-toed (Terrapene c. oriunguis)													RVU											

				PROTECT	FECTED	_			_							LISTED	=							
REPTILES	ns	CITES	OZ	SC	CA	1	\$	1	RUSS	ETBNC	ETBNC NCNHP SCHIP	1 1	ESG F	FCREPA LTPAA	t .	RTVM MSNHP		TOES	IUCN S	SEWS	AFS S	SSAR AC	AOU /	AB
Turtles (cont'd)																								
Chicken turde, eastem (Derrochelys r. reticularia)																œ	×				<u>~</u>	R(MS)		
Cooter, Suwannee (Cbrysemys concinna suwanniensis)						-							R/U	F						-	F	T(FL)		
Green turtle, Adantic (Chelona m. mydas)		App. I				ш	ш	ш		ω	ш		ш	ш	(F)	E/PER	ш	п	ш	ш	ΞĒŽ	E(AL. FL,MS, NC,TX		
Hawksbill Adantic (Fretmocbelys i. imbricata)	ш	App. 1			ш	ш	ш	ш		(E)	(LL)		Ŀ	ш	le)		~				MEZ.	E(AL, FL,GA NC,TX]	-	
Leatherback, Adantic (Dermochelys c. cornacea)	Ħ	App. I	ш	ш	ш		(E)	Œ		LEÚ	ш	S	±	~	<u>u</u>		~		ш	-	M GEE	E(AL, GA,NC, IX)T (FL)	-	
Loggethead, Adantic (Caretta c. caretta)		App. I				H	ш			(E)	le)	SC	ъ	H	(E)	E/PER	ш	ļ	>	<u> </u>	ŭĘŽ_	AL,	<u> </u>	
Map turtle, Alabama (Graptemys pulcbra)														×							A 5	PER (FL)		
Map rurde, Barbour's (Graptemys barbouri)													T	~	SC						<b>EG</b> E	T(AL, GA)R (FL)		
Map turtle, Mississippi (Graptemys kobnı)															-iō	SU/PER	PER				<u>a</u> 5	PER (MS)		
Map turde, Sabine (Graptemys pseudogeographica sabmensis)																				ss				
Map turtle, undescribed (Graptemys sp.) (east Texas)																		~						
Mud turtle, Key (Kmosternon b. bauri)						H								-				<b> </b>		-	F	1(FL)	-	
Mud turde, striped (Kinosternon b. palmarum)													R/U								-			
Red-bellied tartle, Alabama (Chrysemys alabamensis)														su	_					Т	<u>_</u> <u>_</u> <u>_</u>	T(AL, FL)	-	

				PROTFCT	FECTED											LISTED	ED							
REPTILES	Sn	CITES	N N	ž	ξ.	FL	WS	TX	RUSS	_	NCNHP	ETBNC NCNHP SCHIP	ESG	FCREPA	FCREPA ETPAA	RTVM	MSNHP	TOES	IUCN	SFWS	AFS	SSAR	AOU	AB
Turtles (cont'd)																								
Ridey, Atlantic (Lepidochelys kempu)	ы	App. I		E	E	E	त्व	म		म	Э	sc	ш	ы	ш		×	<sub>E</sub>	Ē	ы		E(AL, FL,GA, NC,TX)		
Sawback, black-knobbed (Graptemys nigrinoda)							Œ			T			3			ы	'n		·			E(MS)		
Sawback, ringed (Graptemys oculifera)							T									-	۲			-		T(MS)		
Sawback, yellow-blotched (Graptemys flarumaculata)							+						 			-	F			F		T(MS)		
Spotted turde (Clemmys guttata)	1											sc	-	c								T(GA) PER (FL)		
Softshell, Florida (Tnonyx ferox)													R/U	 	sc							PER (AL)		
Softshell, Gulf Coast smooth (Tnonyx mutteus calcutus)														<u> </u>								PER (FL)		
Terrapin, Carolina diamondback (Malaclemys terrapin centrata)													RA							ns .				
Terrapin, Mississippi diamondback (Malaclemys t. pileata)																Su	SC			ns				
Terrapin, mangrove (Malaclemys 1. rbrsopborarum)														×						ns		T(FL)		
Tortoise, gopher (Gopberus polypbemus)		App. If		E		F						sc	-	-	-	~	~			-		E(LA, SC)T (AL, FL, GA,MS)		
Tortoise, Texas (Gopberus berlanduen)		Арр. 11																~	~					
Snakes and Lizards (Squamata)																								
Black-striped snake (Comopbanes imperialis)																						R(TX)		

				PROTECT	FECTED										-	011811							
REPTILES	ns.	CITES	J.	SC	CA	14	MS	X.I	RUSS E	- BVC	EIBNC NENHP SCHIP		SSG FC	ESG FCREPAETPAA		RIVM MSNHP	HP 10F5	S 100	N SFWS	SAFS	SSAR	AOU	AB
Snakes and Lizards (cont'd)																							,
Brown snake, Florida (Storeria dekayı victa) (Lower Florida Keys)						H								F					-	ļ	T(F.L.)		
Cat-eyed snake, northern (Leptoderra s. septentnonalis)																_	PER				PER (TX)		
Coal skink, southern († umeces antbrachus plurialis)				-			H			sc		SC	-	ns	-	ļ				-	D(MS) PER SC)		
Copperhead, southern (Agkistrodon c. contorinx)														×	_						PER (FL)		
Cord snake, eastern (Micrarus f fultius)										S <sub>C</sub>	SC	SC			*	*					R(MS)		
Com snake (Flapbe 8. guttata)												 S						-	-				
Cottonmouth, eastern (Agkherodon p. pacteorus)									×														
Growned snake, rim rock (Tantilla oolitica)						-								Т					-		T(FL)		
Crowned snake, southeastern (Tantilla coronata)									×			*	<b>K</b> /U			<b> </b>					PER (LA)		
Glass lizard, island (Opbisaurus compressus)											-	*	<b>K</b> /U		-			-		-	-		
Glass lizard, eastern slender (Opbisuurus attenuatus longteaudus)									×		_						-						
Green make, western smooth (Opbeodrys permalis blancbardi)												-				-					R(TX)		
Hognose make, southern (Heterodon smus)							tu:								120	142					E(MS)		
Indigo snake, eastern (Drymarchon coras coupen)	-				1	-	jui .					sc	in the second	SC E	E/EXT	<u>+</u>			-	-	EAST. CAL		

				PROJECT												LISTED	g,						
Snakes and Lizards (cont'd) Kingsnake, blotched	us c	CITES	NC	SC	Y <sub>2</sub>	F	ws	Ϋ́	RUSS	ETBNC	ETBNC NCNHP SCHTP	, ,	ESG FC	FCREPA ETPAA		RTVM MSNHP	ISNHP	TOES	IUCN	SEWS	AFS S	SSAK AOU	U AB
Kingsnake, blotched																							
(Lampropeltis getulus goini) (=L. g. getulus X floridana)														~							×	R(FL)	
Kingsnake, eastem (Lampropelts g. getulus)				1								sc											
Kingsnake, outer banks (Lampropeltis g. sticticeps)										SC	SC			-						SC	Ţ	T(NC)	
Kingmake, scarlet (Lampropelts trangulum elapsoides)									ъ			sc				æ	×			-	<u> </u>	R(MS) PER (AL, VA)	
Milk snake, Coastal Plain (Lampropélis I. tempowsks) (=1. I. triangulum X elapsoides)									×											F			
Mole skink, blue-tailed (Eumeces egregus freidus)						-								-						Т	Ţ	T(FL)	
Mole skink, Cedur Key (Eumeces e. ingudans)														~						SC	Ē	T(FL)	
Mole skink, Florida Keys (Eumeces e. egregus)						F								F						ь	F-	T(FL)	
Mole snake (Lampropylisi calligaster rbombomaculata)														~		~	~				¥ 5 6	R(MS) PER (FL)	
Mud snake, castem (Farancia a. abacura)									×													-	
Pine snake, black (Pituopbis melanoleucus lodingi)							E								(E)	ш	(2)			۲	<u> </u>	E(MS) T(AL, LA)	
Pine snake, Florida (Pituopbis m. mugitus)		10		113								SC	38		ш					SC	Η #	T(GA) R(AL)	-
Pine Snake, Louisiana (Pisuopbis m. rutboeni)																				F	<u> </u>	T(LA) R(TX)	
Pine snake, northern (Pituopbis m. melanoleucus)									ts)			SC	EV.U								<u> </u>	E(VA) T(GA)	,

				7.	PROTECT	FD										-	USIED						j	
REPTILES	ns	CITES	ž	X	CA	-	FT. A	MS 1	2	RUSS ETBNC NCNHP SCHIP	NC. NCN	HP SCH	E E	HCR.	FSG TO REPAIR PAM MSNHP	ARIV	M MSN	THP FOES	S IUCN	N SEWS	SAFS	SSAR	AOU	A.K.
Snakes and Lizards (cont'd)				-	-																			
Pine woods snake				-	-	-						sc	NZ C	2	SC	~	~					E(LA) R(AL, MS)		
Prairie skink, southern (Eumeces septentrionalis obtusirostris				U. 1.																		PER (LA)		
Queen snake (Regina septemeittata)																R/PER	R K					PER (MS)		
Racer, black-masked (Coluber constrictor latrunculus)					-	-						-				PER	PER	<u>~</u>						
Racer, speckled (Drymobrus margaritiferus)									P.E.									PER	~			PER (TX)		
Kainbow snake (Farancia erytrogramma)			-	-				ш		×		sc				ш	(2)					E(MS) T(LA)		
Rat snake, rosy (Elapbe gutata rosacea) (=E. g. gutata)							H							-						-		T(FL)		
Rat snake, yellow (Elapbe obsoleta quadrivittata)												sc	()						-					
Rattlesnake, canebrake (Crotalus borndus atneaudatus)			-	-						ъ.		SC				-								
Kardemake, eastern diamondback (Crotalus adamanteus)			-								э Э	SC	. R/U	2	sc					SC		7555×5		
Ribbon snake, Gulf Coast (Thumnophis proximus oranus)					-										PER	PER	~					PER (MS)		
Ribbon snake, peninsula (Thamnophis saurius sackeni) (Lower Flonda Keys)			-				<u>+</u>				-			1						-		T(FL)		
Ringneck snake, Key (Diadopbis punctatus acricus)			-	-			-							Н						-		T(FL)		
Salt marsh snake, Atlantic (Nerodia fasciata taemata)	H						EL .							Ξ.						(4)		E(FL)		

33 HEQUIA				A	PROTECTED	TED											115	LISTED							
NET ILLES	ns	CITES	ES NC		) JS	CA	FL	MS	ΤX	RUSS I	STBNC	RUSS ETBNC NCNHP SCHTP	SCHTP	1	FCREPA	ESG FCREPA ETPAA	RTVM	MSNHP	P TOES	IUCN	SEWS	AFS	SSAR	AOU	AB
Snakes and Lizards (cont'd)			_																						_
Salt marth snake, Carolina (Nerodia sipedon williamengelss)											ns Su	Su								-	SU				
Salt marsh snake, Gulf (Nerodia fasciata darkı)															~		so	SC					R(MS) PER (FL)		-
Sand skink (Neoseps reynoldsi)			_				ı.								L						F		T(FL)		<u> </u>
Scarles snake, northern (Cemopbora cocemea coper)			7														×	~		-			R(MS)		
Scrub lizard, Florida (Scrloporus woodi)								-							~						SC		R(FL)		
Short-tailed snake (Stilosoma extenuatum)							ш								ш					ļ	ы		E(FL)		
Swamp snake, North Florida (Seminatrix p. pygaea)			-													sc				ļ			PER (AL)		ļ
Swamp snake, striped (Regina alleni)								-						R/U											
Water snake, brown (Nerodia taxapilota)			-	-						~			SC				<u></u>			<u> </u>					$\perp$
Water snake, Gulf glossy (Regna rigida smicola)							-										~	~					R(MS)		
Water snake, Florida green (Nerodia cyclopion floridana)																SC					_		PER (AL)		
Water snake, red-bellied (Nerodia e. erytbrogaster)										~															
		-	1	1	+	1		-	1			1	1										_	_	

				PRO	PROTECTED									1		HSTED	10						
BIRDS	us	CITES	NC	SC	CA	FL	WS	Ϋ́	RUSS		ETBNC NCNHP SCHTI	SCHTI	156	I CRI PA 1 IPAA	FIPAA	RTVM	RTVM MSNHP	TOES	IUCN	SEWS	AFS S	SSAR A	AOU AB
Grebes (Podicipediformes)																							
Grebe, least (Podiceps dommicus)																		PER					
Grebe, red-necked (Podiceps grusegens)																							BL
Pelicans and Allies (Pelecantformes)																							
Anhinga (Anbinga anbinga)					_					-	μ												
Cormorant, double-crested (Pbalacrocorax auntus)			,							-	1					S.	SC			-			BL
Cornorant, olivaceous (Pbalacrocorax olnaceus)																		٥					
Magnificent frigatebird (Freguta magnificens rotb childs)						-								-									
Pelican, eastern brown (Pelecanus occidentalis carolinensis)	ш		ú.	ъ	lπī		LEE .	ы		ш	Ħ	SC	ਜ	Т	Ŧ	ш	μi	ı.		-Li			
Pelican, white (Pelecanus crythrorbynchos)																su	SC			sc			BL
Waterfowl (Ansenformes)																							
Canvashack (Aytbya valismeria)																							BL
Duck, black (Anas rubripes)										SC													
Duck, fulvous whisding (Dendrocygna bicolor)																		ш					BL
Duck, masked (Oxyura dominica)																		PER				<del>-</del>	

Waterfowl (cont'd)  Duck, motted (Anas fulvigula)  Vultures, Hawks and Falcons (Falconiformes)  Caracara, Audubon's (Caracara cheriway andubonii)  Eagle, golden (Aquila chrysaetos)  Eagle, southern hald (Haluaetus feucocepbalus)  Falcon, American peregine (Falcon, American peregine (Falcon, American anatum)  E App. 1	<u></u>	SC	CA	FL	1	ı A L		-													
d d ds ks and Falcons hubon's riway audubonii) m hald ucocepbalus) ican peregine mus anatum) E App. 1		_	ł	+	+	7	RUSS ET	ETBNC NCNHP SCHTP	VHP SCI		ESG FCR	FCREPA ETPAA		RTVM MSNHP	HP TOES	SIUCN	SEWS	AFS	SSAR	AOU	AB
d be said Falcons hibon's riway audubonii) m hald ucocepbalus) ican peregine mus anatum) E App. 1																					
ks and Falcons Inbon's riway audubonii)  metos) App. 11 ucocepbalus) ican peregine mus anatum) E App. 1							-		-			-	~	~	-				ļ		
міі) Арр. II Е Арр. I																-	ļ				
App. II E App. I				<u> </u>					_		-			ļ	ļ		ш				BE
Е Арр. 1		-					,-	1		SC		Э	~	~	a		-				
E App. I		ET.	m	<b>—</b>	ш	EI .		Э	<del> </del>	SC	E	ш.	ш	ш	111	~	ш	ļ	ļ	sc	
,	ш	ш	ш	ш	(H)	ш	<del>-</del> -	E E	<del> </del>	SC	3	ш	(H)	ш	ш	~	ш		<u> </u>	ы	
Falcon, arctic peregrine (Falco p. tundrius)  E App. 1 E	EI .	ш		EI)		m			Š	SC	<b>H</b>					-	EI .				<u> </u>
Hawk, black (Buteogallus antbracinus)					<del> </del>									ļ	~				<u> </u>		
Hawk, broad-winged (Buteo p. platypterus)		<del>                                     </del>				-	ı.	SU		SC	5		-	<u> </u>	ļ. <u>.</u> .	ļ					
Hawk, Cooper's (Accipiter cooperii)							-	-		R/U	n sc	sc	ns :	sc			SC				81
Hawk, gray (Buteo miidus)					ļ					-					PER						
Hawk, Harris (Parabuteo unicinctus)												-	PER/ SU	PER	_	<u> </u>					BL.
Hawk, marth (Circus cyaneus)							S	su					SO	SC	-		SC				BL

				PROTECT	FECTED											LISTED	£							
BIRDS	ns	CITES	NC	SC	GA	FL	WS	ТХ	RUSS	ETBNC	ETBNC NCNHP SCHTP	SCHTP	ESG	FCREPA	FCREPA ETPAA RTVM MSNHP TOES	RTVM	ASNHB		IUCN SEWS	SEWS	AFS	SSAR /	AOU	AB AB
Vultures, Hawks and Falcons (cont'd)																								
Hawk, red-shouldered (Buteo lineatus)										_	F		ns		SC	ns	SC			SC				BL
Hawk, red-tailed (Buteo jumaicatis)										SC														
Hawk, sharp-thinned (Accipiter striatus velox)										T	T		۲		sc	su	SC			သွ				BL
Hawk, short-tailed (Buteo brachyurus)														×										
Hawk, white-tailed (Buteo albicandatus)																		٥						
Kestrel, Eastern American (Falco s. sparverius)										۲	1		٦			su	SC							BL
Kestrel, Southeastern American (Falco s. paulus)						Т								⊢						so				
Kite, Florida Everglade (Rostrbumus sociabilis plumbeus)	ы					я								ध्य					ш	ы			ъ	
Kite, Mississippi (Ictinia mississippiensis)										SU			Ŧ											
Kite, swallow-tailed (Elanoides forficatus)										su		SC	<b>3</b>		sc	~	œ							
Kite, white-tailed (Elamus leucurus)														~				~						
Medin (Falco columbarius)										۲	Т			so	sc	sc	sc	Q		so				BL
Osprey (Pandion balizetus carolinensus)		Арр. 11				Т				SC	SC .	SC	R/U	۲	123	so	SC	ы						BL
Vulture, black (Corygyps atratus)										۲	F					as	SC			SC				

				PRO	PROTECTED				L.							LISTED	ED							
BIRDS	US	CITES	NC	sc	CA	FL	MS	ТХ	RUSS	ETBNC	RUSS ETBNCNCNHPSCHTP	SCHTP	ESG	FCREPA ETPAA RTVM MSNHP TOES	ETPAA	RTVM	HSNH		ICCN	SEWS	AFS	SSAR /	AOU	AB
Vultures, Hawks and Falcons (cont'd)				 																				
Vulture, tarkey (Catbartes ama)										T	1-					ns	SC			SC				
Gallinaceous Birds (Galliformes)																								
Prairie chicken, Attwater's greater (Tymponuchus cupido attwateri)	Ε	Арр. 1						ы										ш	ш	ы				
Turkey, eastern (Meleagris gallopavo silvestris)										sc														
Herons and Egrets (Ciconiformes)																								
Bittern, American (Botaurus lentigmosus)										SU														BL
Bittem, eastern least (Ixobrychus exilis)										H	F			S										
Egret, great (Casmerodius albus)										SC				S										
Egret, reddish (Dicbromanassa rufescens)														×	⊢	R/PER	~	ы		-				BL
Egret, mowy (Egretia tbula)										sc				SC										
Flanigo, American (Phoenicopterus ruber)															EXTIR									
Heron, eastern great blue (Andea b. berodias)										sc														
Heron, great white (Ardea b. occidentalis)						T								»C			æ			သွ				
Heron, little blue (Florida caerulea)										sc				sc	sc									

	_			PROJ	PROTECTED	_										LISTED	'ED							
BIRDS	OS	спеѕ	NC	SC	CA	FL	MS	TX	RUSS	ETBNC	NCNHP	RUSS ETBNC NCNHP SCHTP	ESG	FCREPA	FCREPA ETPAA		RTVM MSNHP		TOES IUCN	SEWS	AFS	SSAR	AOU	VΒ
Herons and Egrets (cont'd)																								
Heron, Louisiana (Hydramassa rrecolor)										SC				SC										
lbis, eastern glossy (Plegadis falcinellus)										SC			SU											
lbis, scarlet (Eudocimus ruber)															EXTIR									
Ibis, white (Eudocimus albus)										SC				SC		SU	sc							BL
Ibis, white-faced Plegadis chibi)																PER/ SU	PER	Q		F				BL
Night heron, black-crowned (Nycticorax nycticorax)										SC				SC	SC	SU	SC							BL
Night heron, yellow-crowned (Nyctanassa riolacea)										sc				SC										
Spoonbill, roseate (A)zza ajaja)														×	EXTIR			Q						
Stork, wood (Mycleria americana)						33							Т	Ħ	sc	su	SC			Т				BL
Cranes and Rails (Grujformes)																								
Crane, Plorida sandhill (Grus canadensis pratensis)		App. II				<b>-</b>							-	-	SC				×	-				
Crane, Mississippi sandhill (Grus c. pulla)	Ξ	App. I					<u>ы</u>									Ē	Ε		٤	Ē			Э	
Crane, whooping (Grus americana)	<b>.</b>	App. I						(F)						REC	REC EXTIR EXTIR			(E)	Œ	ъ			ъ	
Gallinule, common (Gallmula chloropus)										sc														

				PRO	PROTECTED	D			_							LIST	LISTED							Γ
BIRDS	ns	спе	NC	sc	CA	FL	MS	TX		SETBN	RUSS ETBNC NCNHP SCHTP	РЅСНТ	P ESG	4	FCREPA ETPAA		RTVM MSNHP	TOES	IUCN	SEWS	AFS	SSAR	AOU	₽₽
Cranes and Rails (cont'd)																								
Gallinule, purple (Porpbyrula martmica)					ļ		-			SC			-											
Limpkin (Aramus guarauna)													RVU											
Rail, black (Laterallus jamaicensis)						-			-	Su			as	su	SC	~	~			sn				
Rail, Florida clapper (Railus longirostris scottii)									-					SU										
Rafl. mangrove clapper (Raflus I. insularum)						ļ			-					sc										
Rail, king (Railus elegans)										SC														B.
Rail, Virginia (Rallus limicola)													as	-										
Rail, yellow (Cosumicops noveboracensis)										sn						×	×							
Shorebirds, Gulls (Charadriformes)																								
Avocet, American (Recurvatostra americana)														SC										
Curlew, eakimo (Numenius borealis)	與	App. 1		<b>(21)</b>				<u> </u>		<del></del>		SC						ы	(2)	(41)			ы	
Gull, Imphing (Lorus atricilla)										SC														
Jacana (Jacana spinosa)																		~						
Noddy, brown (Anous stolidus)														SC										

Shorebirds, Gulls (cont'd)   Second of the cont'd)   Shorebirds, Gulls (cont'd)   Shorebirds, Gulls (cont'd)   Charadrian melodus)   Charadrian melodus)   Charadrian melodus)   Second of the charadrian melodus of the charadrian melodus of the charadrian melonis of the cha	LISTED
ricous)  T	
Continued and position of the position of th	
SC   SC	T SC R R D SC
Fexandrinus nicosus   Fexandrinus nicosus     Sanowy	OS O
snowy temirostris)  i. straintostris)  i. wilsonia)  i. wi	E R R
SC   SC   SC   SC   SC   SC   SC   SC	ш
cled mexicanus)  cled mexicanus  )  1)  1)  1)  1)  1)  1)  1)  1)  1)	SC 2
cked	OS OS
lo) cd milotica) mistrican	R/U
T PE	OS SC
T BE	SC
T PE	SC R BL
	R R SC E/SU BL
Tern, roseate (Sterna dougallii)	T SC

				PRO	PROTECTED	_																ĺ		ſ
BIRDS	S	CITES	N	$\vdash$	8	Ē	MS	ř.	DITEC	CHAC	USING MCNIID COUTE CORES OF A COURT AND MCNIID COUTE	DINOS	1 233	1 4939		LISTED		3.01		_				
Shorebirds, Gulls (cont'd)				+	_	<del></del>			6632	2.01		300	Fee	CRETA		ž	LIN COL	101.01	z		AFS	SSAR	VOV	AB
Tem, royal										5				3		-	8			+				
(Sterna m. maxima) Tem. sandwich				_	_					3				١	$\uparrow$	2	١					$\top$		
(Sterna sandvicensis)										sc				SC										
Tem, sooty (Sterna f. fuscata)												_		SC				PER	<del>                                     </del>	-				
Pigeons and Doves (Columbiformes)																					1		<del>                                     </del>	
Dove, Key West quail (Geotrygon chrysia)														REC		-					<u> </u>	-		
Dove, Zenaida (Zenaida aunta senaida)														REC EXTIR								<u> </u>	-	
Pigron, passenger (Ectopistes migratorius)													7.55	REC EX. EX. TINCT	INCT									
Pigeon, red-billed (Columba flavirostris)															-			PER			<b>†</b>			
Pigeon, white-crowned (Columba leucocepbala)						⊢								-			<b>†</b>	<del>                                     </del>		SC		<del>                                     </del>		
Parrots (Psitzaciformes)																				-			<del>                                     </del>	
Parakcet, Carolina (Conuropsu carolinensis)														REC EX- EX- TINCT	X- INCT							-		
Cuckoos (Cuculformes)																								
Cuckoo, black-billed (Coccyzus erytbroptbalmus)										SC									-			-		
Cuckoo, mangrove (Coccysus minor maynardi)														×	-								<del>                                     </del>	

EIRDS   US   CITES NC   SC   GA   FL   MS   TX   RUSS   ETBACK   NORTHO SCHITP   EXG   FURDA   ETBACK   NORTHO   EXC   EX			PROTECT	CTED										LISTED	_						
			1	3	=	MS		RUSS	ETBNC	CNHPS	 	REPA ET		RTVM MSNHP	HH	TOES IUCN		SEWS AI	AFS SSAR	AR AOU	U AB
billed carus)  Towing from the first of the	oos (cont'd)																				
Towing Trowing Sec	ckoo, yellow-billed																				18
Towing   Sc	formes)				F			1													
Towing         SC           Trowing         SC           Seca)         T           silanum)         T         T           ficus)         T         T           lilan         R         R           numlachi)         R         R           nd Swifts         Niftselled         R	d, barn oro alba)			Œ					SC		D/S		-	ns ns	SC						- B
Frowing gaes)	d, Florida burrowing bene cuniculana flondana)			-								SC					· ·	sc			B1.
silian tracinus) tracinus) tracinus) tracinus and lacbin) and Swifts authoritied	d, western burrowing ibene c. bypugaea)									1				as	SC						B B1
ticus)  Illian or occus) t Indian undlacbii) nd Swifts  woft-belied ensis)	A, ferruginous laucidium brasilianum)														Δ.	PER					
Illian or acraus) t Indian unallacbiii) and Swifts wift-bellied ensis)	d. saw-whet rgolius a. acadicus)								Т	1										_	
itlian or vectrus) t Indian undlacbii) and Swifts wift-belied rensis)	d, short-cared																				BL
	iuckers nuigiformes)				Ψ.																
	ghthawk, Antillian bordeiles minot menus)											œ									B
Hummingbirds and Swifts (Apodiformes) Hummingbird, buff-bellied (Amazilia yucatensis)	ghthawk, West Indian bordedes m. gundlacbii)						: ]					×					s	SC			BT
Hummingbird, buff-bellied (Amzalia yucatensis)	mingbirds and Swifts															1					
	smmingbird, buff-bellied mazilia yucatensis)														<u>a.</u>	PER			-		
														-							

rquata)  ged squata)  s  southern hairy outhern hairy  wory-billed prmcpalis)  ed-cockaded aits)  E  E  E  E  ed-cockaded ythrocepbalus)					_							LISTED	۵							
torquata)  ets  ellow-bellied  ellow-bellied  southern hairy  osus audubonii)  ivory-billed  s principalis)  red-cockaded  equiprocephalus)  E  E  E	sc   c	GA FL	MS	, TX	RUSS		ETBNC NCNHP SCHTP		ESG F	FCREPA ETPAA		RTVM MSNHP	SNHP	TOES II	IUCN S	SEWS	AFS S	SSAR AC	AOU	AB
ged sylvata)  s s low-bellied oouthern hairy outhern hairy sis audubonii) principalis)  ed-cockaded  et-cockaded  et-cockaded  gis)  ed-headed yibrocepbalus)																			<del> </del>	
low-bellied outhern hairy us audubonni) vory-billed principalis) ed-cockaded E E E  ed-cockaded alis)  E E  E  E													-	PER						
ow-bellied outhern hairy us audubomi)  res audubomi)  principalis)  ed-cockaded  et-cockaded  et-cockaded  yibrocepbalus)				-	-									-						
outhern hairy us audubonni) vory-billed Principalis) ed-cockaded EE E  ed-cockaded cd-headed yibrocepbalus)						SO														
vory-billed E E E ed-cockaded E E E ed-cockaded cockaded yibrocepbalas)				-					ļ	Sc							-		-	E E
ed-cockaded E E E ais) cd-headed ythrocepbalas)	ш	en en	m	ш				SC	(E)	ш	ш	(T)	(2)	(E)	ш	in in	-		ш	
Woodpecker, recheaded (Melanerpes erysbrocepbalus)	ш	(F)	(E)	ш	ш	Œ	Œ	SC	ıı	ш	ш	ш	ш	ti.		ш		-	<del> </del>	
		- 1				SC													-	BL
Perching Birds (Passenformes)																				
Becard, rose-throated (Platypsans aglaise)													- a-	PER						
Bluebird, eastern (Sialia s. sialis)						sc			so						-		-		-	
Chat, yellow-breated (Ickria oriens)																			-	BL
Creeper, brown (Certbia familiaris)						F	F									-			ļ	
Crossbill, red (Loxia curonostra)						so			su				<u>~</u>							
Crow, Mexican (Corrus impartus)													a.	PER			-			

	L			PR	PROTECTED	101			$\vdash$								LISTED							
BIRDS	r.s	CITES	Š	3	CA	Ŧ	$\vdash$	1 SW	IN RE	RUSS FIBNC NONHPISCHIP LSG	UN UN	VHP SC)	d.		FCRIPA ETPAA RTVM	AA RTV	11	MSNHP TOFS	N ) 11 S	N SEWS	S AFS	S SSAR	R AOU	AB
Perching Birds (cont'd)	_																							
Flycatcher, beardless (Camptostoma imberte)							-						-					PER	~	-		-		-
Flycatcher, scissor tailed (Muscreora forficata)																	~							
Flycatcher, Truill's (Empidonax mmimus)					ļ					ns	5										<b> </b>			
Grackle, Florida purple (Quecalus q. quecula)									_	<b>x</b>														
Jay, Florida scrub (Appelocoma c. coerulescens)						F									-					-				BE
Kingbird, gray (Tyrannus domnicensis)													~	R/U			~				<u> </u>			
Kingler, eastern golden-crowned (Regulus s. satrapa)								-		Š	SC													
Martin. purple (Progne s. subis)										ý.	SC													B. B.
Nuthatch, red-breasted (Sitta canadensis)		111		-		-				Ň	SC													
Nuthatch, Florida white-breasted (Sitta c. carolinensis)			-			-	-							, v	SC						-			
Raven, common (Corres corax)											S	sc			EXTIR	Œ								
Reditart, American (Setopbaga r. ruticilla)			-												×			-						
Seedeater, white-collared (Sporopbila torqueola)	1 11			- 1		-55									-			PER	×					
Shrike, loggerhead (Lanus ludoricianus)										, v	sc					os	sc	()						Bt.

			h	PR	PROTECTED	<b>Q</b> 3										CIIS	LISTED							
BIRDS	ns	CITES	SNC	SC	GA	Ŧ	MS	7 TX		RUSS ETB	ETBNC NCNHP SCHTP	нь sch	TP ESG		HCREPA ETPAA		MSNH	RTVM MSNHP TOES	IUCN	SEWS	AFS	SSAR	AOU	AB
Perching Birds (cont'd)					_		-							_										
Sparrow, Bachman's (Aimopbila æstrivalis)				2	-	-			~	<b>-</b>	H		Su	-		SO	SC			SU				BL BL
Sparrow, Botteri's (Aimopbila botterii)															4	- 1		PER						
Sparrow, Florida grasshopper (Ammodramus savamarum)						ы								ш						1				BL
Sparow, eastern Henslow's (Ammodramus benslowii)									~	SC SC													•	BL
Sparrow, ipswich (Passerculus sandwicbensis princeps)										sc		sc							×	Т				
Sparrow, Cape Sable seaside (Ammospisa maritima mirabilis)	ы					ы		-						ᄪ					×	H				
Sparrow, dusky seaside (Ammospisa m. nigrescens)	ū					(m)								ъ.					×	ы			ы	
Sparrow, Louisiana seaside (Ammospisa m. fisberī)						+			1					F										
Sparrow, Scott's seaside (Ammospira m. peminsulae)									130					sc										
Sparrow, Smyrna seaside (Ammospiza m. pelonota)														so						su			ш	1
Sparrow, Wakulla seaside (Ammospisa m. juncicola)														~										
Sparrow, vesper (Poocetes gramineus)										so														BL
Swallow, cliff (Petrochelidon pyrrbonota)							T									T/PER	٢							BL
Thrush, eastern Swainson's (Catbarus ustudatus swainsoni)										os												·-	-	

				PRO	PROTECTE	FD										SII	LISTED							
BIRDS	ns	CITES	S NC	SC	GA	FL	MS	S TX	K RUSS	SS ETB.	ETBNC NCNHP SCHTP	HP SCH	TP ESG		FCREPA ETPAA		RTVM MSNHP	IP TOES	$\overline{}$	TUCN SEWS	AFS	SSAR	AOU.	AB
Perching Birds (cont'd)							-	-	_	-														
Virco, Bell's (Virco b. bellii)								-								PER/	PER			-		-		BL
Vireo, black-whiskered (Vireo altiloquus barbatulus)														<b>e</b> x										
Virco, warbling (Virco gilous)										-	-		-											ļ
Vireo, yellow-green (Vireo flavornidis)																		PER						
Warbler, Bachman's (Vermitora bacbmani)	त्म		Ē	ы	FTI	н	E)	(E)	41				H	1	121	ш	ш		۵	ш		-	ш	
Warbler, black and white (Mniotilta tama)										sn				-										
Warbler, Wayne's black-throated green (Dendroica virens wayner)			-							SC _														
Warbler, golden-cheeked (Dendroica ebrysopana)																		ш	~					
Warbler, Kirdand's (Dendroica kirdandii)	E		m	E	ш	(1)			-			SC	Έ)	121					۵	ш				ļ
Warbler, tropical parula (Parula pittayumi)						_	-			-	-	-	-				-	PER						ļ
Warbler, Florida praine (Dendrotca discolor paludicola)														SC										ļ
Warbler, prothonotary (Protonotaria citrea)			SC	_			-				-			<del> </del>				ļ		<u> </u>				ļ
Warbler, Swainson's (Limnotblypis swainsonii)									~	SC		SC	S								ļ			
Warbler, worm-eating (Helmitheros permiporus)										os				sc										

Perching Birds (cont'd)   US   CITES   NC   SC   CA   FL   MS   TX   RUSS FIBNC NONHP SCHIP   E	LISTED
adiach)  low-throated	RUSS ETBNC NCNHP SCHIP ESG FCREPA ETPAA RTVM MSNHP TOES IUCN SFWS AFS SSAR AOU AB
antern yellow a petecha gundlach) SC stream yellow a p. activa) stocklard's yellow-throated a dominica stoddardi) sh. Louisiana sotacida) sick's met bewitchi) met bewitch	
stockard's yellow-throated a dominica stoddardi) th. Louisiana noiseille) wick's mes bewickii) fain's marth dyter p. grievis) MAMMALS  R Mammals  R Mammals  R Mammals  R SU	SC R
inodetard's yellow-throated a dominica stoddardi) and ominica stoddardi) and ominica stoddardi) and the Louisiana sotacila) and starts marimae) fribin's march dytes pulsatirs marimae)  MAMMALS  MAMMALS	SC BL
inth. Louisians  wick's  met be wickin)  met be wickin)  min's marth tytes palustris martinals  manuals  g Mammals  g Mammals  g manuals  g man	Su
wick's mes be wickii)  rian's marth dytes palasirus marith dytes p. griteus)  MAMMALS  MAMMALS  MAMMALS  mostates  omostates  grit oritistal)  re c. critatal)  grit oritiste sionis)  grit oritisted  oritisted  oritisted  re c. critatal)  re boyi winnemana)  oritisted  re c. critatal	nz.
rian's marth         T           tryles palustris marismae)         T           rthington's marth         T           dyles p. griteus)         R           MAMMALS         R           g Manimals         R           noned         R           ra c. cristata)         R           omostassa         R           gmy         R           gmy         R           gmy         R           gmy         R           gmy         R           rest boysi uninsemana)         R           port-tailed         R           restractedal)         R	
rthington's marsh MAMMALS  MAMMALS  g Mammals  nowed  ra c. cristata)  gmy  gmy  grotinis elonis)  gmy  re x boyl winsemana)  R SU  SC  R  SU  SU	т
MAMMALS  g Mammals  noved  ra c. cristata)  omostassa sgrivstris eionis)  gray  ex boysi winnemana)  R SU  SC  R  SU  SC  THE SU  SC  THE SU  SC  THE SU  THE	SC
g Mammals -noted ra c. cristata) R SU SC noncestates grive intra elonis) gry sr boyl winsemana) R SU R SU SC resulted representation	
SC R SU	
SU SU	as
R SU	SC
Shrew, short-tailed (Barina brencauda)	
	PER
Shrew, Diunal Swamp short-tailed (Blarina telmalestes)	-

0 1444444				PR(	PROFFCTFD	q			_							LIS	LISTED							
MAMMALS	ns	CITES	ž	SC	CA	FL	MS	ТX	RUSS	SETBN	CNCNE	ETBNC NCNHP SCHIP	P ESG		FCREPA ETPAA RTVM MSNHP	RTVM	MSNHP	roes	IUCN	SEWS	AFS	SSAR	AOU	AB
Insect-eating Mammals (cont'd)							-																	
Shrew, Sherman's short-tailed (Blarma brevicadas shermani)						Ы	_							sn						su				
Shrew, southeastern (Sorex I. longhostyls)						-						SC		æ	SC	~	×							
Shrew, Dismal Swamp southeastern (Sorex I. fuberi)									×	as	so									sc				
Bats (Cbroptera)																								
Big brown bat (Eptesicus fuscus)				1										~										
Big cared bat (Plecotus rafinesquii macrotus)		-							Œ				SU											
Big eared bat, southeastern (Plecotus rafinesquii)									ш	so	Su			α¢	SC	æ	×			sc				
Free-tailed bat (Tadanda brasiliensis)						-1				su									1 = 1					
Gray bat (Myotis grisescens)	ш		ш		Œ	E			×	so	so		R/U	ш	3	PER/ R	w			L				
Hoary bat (Lasiurus c. cinereus)													sn	æ		α¢	œ							
Indiana bat (Myotis sodalis)	(m)		ы	F	E	ш	ш		ы	ш	Œ	sc	ш	ы	Œ	PER/ E	ы		ш	ы				
Keen's bat (Myotis keenii)										SU	so		RVU	œ	SC	PER/R	×							
Lappet-chinned bat (Mormoops megalopbylla senicula)																		PER						
Litde brown bat (Myotu lucifugus)									_	SU	su		R/U		SC	PERVR	×	PER						

15 GITES NC SC GA FL MS 17 RUSS FIRSC NCMHP SCHTP 65G FGREPAETRAA RIVM MANHP 1015 11ICAS SENSON  19 SU SU SU SU SC R R R PER				PRC	PROTECTED	۵			_							LISTED	F. [							
1)   1)   1)   1)   1)   1)   1)   1)	MAMMALS	ns	CITE	-		<u> </u>	WS	Ϋ́	RUSS	ET BNC	NCNHP	SCHTP	1	FCREP/	ETPAA	RTVM	MSNHP	_			AFS	SSAR ,	AOU	AB
Finched to the continue of t	Insect-eating Mammals (cont`d)																							
PER	Mastiff bat, Florida (Eumops glaucinus floridanus)													SC						S				
Detail of the control of the contr	Seminole bat (Lasiurus seminolus)									SU	su							PER	1	<b>†</b>				
Transposit   Sc   PER     PER     PER     PER     PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PER   PE	Silver-haired bat (Lasiony cteris noctivogans)						ļ		<u> </u>				Sc								1		1	
Hares  Hares  Concumbutcher  Expedition blay  For the ringularity  For t	Southeastern myotis (Myotis austroriparius)								-	SU					S			PER						
Hares  Hares  (c. palutrix)  (c. pal	Yellow bat (Lasurus mermedius)														SC	~	œ	PER					1	
Hares  t t t t t transitionalis)  E, Choctawhatchee s polionotus allopbrys)  E, Petridio Bay S, white-fronted S, white-fronted S, warmobates)  E, warmobates)  E, warmobates)	Yellow bat, western (Lasiurus ega)																	PER					<b> </b>	1
u. p. palutris)         R         SC         Description           u. p. palutris)         SU	Rabbits and Hares				1																			
bbit         SU         SU           oute, remaisionalis)         T         T           couse, Choctawhatchee         T         T           scus polion outs all opbrys)         T         E           couse, pallid         E         E           couse, pallid         T         E           couse, pallid         T         E           couse, principle Bay         T         E           couse, whire-fronted         T         E	Marsh rabbit (Sylvilogus p. palustris)					.=			<b>x</b>						SC									
touse, Choctawhatchee sizeus poliomotus allophyss)  Touse, pallid sizeus p. decoloratus)  Touse, Perdido Bay sizeus p. trissyllepsis)  Touse, white-fronted sizeus p. ammobates)	Wood rabbit (Sylellogus transitionalis)												su						1 0	U/SC				
	Rodents (Rodentia)																							
	Beach mouse, Choctawhatchee (Peromyscus polionotus allopbrys)					-								<b>!-</b>						-				
	Beach mouse, pallid (Peromyscus p. decoloratus)					ш								ш						ш	-			
	Beach mouse, Perdido Bay (Peromyscus p. trissyllepsis)					-								-	ы					-				
	Bench mouse, white-fronted (Peromyseus p. ammobates)	11					-	-												ш			<u> </u>	

			,	PR	PROTECT	ED											LISTED							
MAMMALS	CS	CITES	NC NC	SC	VS C	+	FL	MS	X	RUSS ET	TBNC NC	ETBNC NCNHP SCHTP	1	ESG FCI	FCREPA ETPAA		RTVM MSNHP	NHP TOES	ES IUCN	N SEWS	/S AFS	SSAR	R AOU	AB .
Rodents (cont'd)																								
Beaver (Cartor canadensis)												· ·	SC			-								
Bog lemming, Dismal Swamp (Synaptomys coopen belaktes)									111	ш	SU													
Chipmunk, castem (Tamias striatus)															~									
Cotton mouse, Anastasia Island (Peromyscus gossypinus anastasae)					-									ъ	SU					so				
Cotton mouse, Key Largo (Peromyseus g. allapaticola)			= 1				ш								Œ.					(E)				
Cotton rat, Captiva Island (Sigmodon bispidus insulicola)														•,	ns	<del></del>				so	_			
Cotton rat, Lower Keys (Signodon b. exsputus)							-							-	<b>—</b>					-				
Cotton rat, Virgioia (Sigmodon b. orginiamus)																				sc	- "			
Cotton rat vellow-nosed (Sigmodon o. ocbrognathus)																			~					
Florida mouse (Peromyscus floridanus)					-		ь								Ŀ					-				
Fox squirrel, mangrove (Sciurus niger ancennus)						-	(E)								Э				-	œ i				
Fox squirrel, Sherman's (Sciurus n. shermani)							F			, .			<b>J</b> ,	so	F					T				
Fox squirrel, southeastern (Sciurus n. niger)										~		s	SC									-		
Flying squirrel, southern (Glaucomys volans querecti)													<b>S</b>	so										

	L			PROJ	PROTECTED				_							LISTED	ED						İ	
MAMMALS	ns	CITES	NC NC	sc	CA	FL	WS	Ϋ́	RUSS	ETBNC	NCNHI	ETBNC NCNHP SCHTP	ESC		FCREPA ETPAA	RTVM	RTVM MSNHP TOES	TOES	IUCN	SEWS	AFS	SSAR	AOU	AB
Rodents (cont'd)							<u> </u>																	
Gray squirrd, bayou (Scierus carolinensis fuliginosus)															SC									
Harvest mouse, dwarf (Reithrodontomys bumulis merriami)																		PER						
Jumping mouse, mesdow (Zapus budsonius americanus)													su							SU				
Muskrat, round-tailed (Neofiber allewi)													(a)	»						S				
Pocket gopher, colonial (Geomys colonus)					ш								-							Т				
Pocket gopher, Cumberland Island (Geomys cumberlandius)													Е/ЕХТ							SU/E/ EXT				
Pocket gopher, Goff's (Geomys pinetis goffi)						ш								E						SU				
Pocket gopher, Sherman's (Geomys fontanelus)					ĽĽ								H							Т				
Rice rat, Cudjoe Key (Oryzomys 1p.)						ъ								ızı						Ε				
Rice rat, Pine Island (Orysomys palustris planirostris)														ns sr						SU				
Spiny mouse (Liomys irroratus)																		PER					,	
Vole, Louisiana (Microsus ochrogaster)																		×						
Vole, Dismal Swamp meadow (Microtus pennsylvamicus nigrans)										sn	su													

				PRO	PROTECTED	_										LISTED	Ω						_
MAMMALS	US	US CITES	S	SC	CA	FI	WS	χŢ	RUSS	ETBNC	ETBNC NCNHP SCHTP	SCHTP	ESC	FCREPA ETPAA RTVM MSNHP	ETPAA	TVM ST	THNS	TOES 11	IUCN S	SEWS A	AFS SS	SSAR AOU	 AB
Rodents (cont'd)																							
Volc, pine (Pitymys pinetorum)																	cu,	PER					
Vole, Gapper's red-backed (Clethronomys gapperi maurus)																				μ.			
Wood rat (Neotoma f. floridana)						-				SU	su		sn										
Wood rat, Key Largo (Neotoma f. smalli)						ш								ш						ī			
Camivores (Camirora)																							
Black bear (Uravs americanus)							۳			8	Š	SC			ш	⊢	-	~	-				
Black bear, Florida (Urrus a. floridanus)						<b>⊱</b> =								<b>⊬</b> -	'n					<b>F</b>			
Coatimundi (Naswa narica molaris)																	-	PER					
Jaguar (Felis onca veraecrucis)	ιιi	App. I						ш									G.	PER	-	PER			
Jaguarundi (Felu yagouaroundi cacomitli)	ய	Арр. 1						व्य										an an					7
Mink (Mustela v. vison)																			<u>s</u>	su/sc			
Mink, Everglades (Mussela v. evergladensis)						-								-						<b>-</b>			
Mink, Florida (Mustela v. lutensis)														œ						8			
Mink, Southern (Mustela v. mink)														~				$\dashv$					

				PRO	PROTECTED	_										LISTED	ED							
MAMMALS	ns	CITES	DZ S	SC	CA	FL	WS	ΤX	RUSS	ETBNC	NCNHP	RUSS ETBNC NCNHP SCHTP ESG		FCREPA ETPAA RTVM MSNHP	ETPAA	RTVM	MSNHP	TOES	TOES IUCN SEWS	SEWS	AFS	SSAR /	AOU	AB
Camivores (cont'd)																								
Ocelot (Felis pardalis albescens)	ய	Арр. 11						Э										×	Λ	PER				
Otter, river (Lutra canadensis)		Арр. 11		-														PER						
Panther (Felis concolor couguar)	ъ	App. 1	ъ	in in			ш		ш	ы	ш	sc			ய				Q	23				
Panther (Felis c. stanleyana)		App. II																æ		ъ				
Panther, Florida (Felis c. coryi)	Ħ	App. 1			m	m	ы						ы	Э	ы	ш	ш		ъ	ш				
Raccoon, Key Vaca (Procyon lotor auspicatus)						T								Τ						1				
Wessel, Florids (Musselo frensta peninsulae)														æ						su/sc				
Wessel, southeastern (Mustela f. olivaces)													su	ж										
Wolf, gray (Canis lupus lycaon)	Э	App. II	<u> </u>											REC EXTIR										
Wolf, gray (Canis I. monstrabilis)	μı	Арр. 1						ш										m						
Wolf, red (Canis rufus)	Ε						ы	ثعز						REC EX- TINCT	ш	PER/ E	3	ŭ	ធា	ш				
Scals (Pinnipedia)																							-	
West Indian monk seal (Monacbus tropicalis)	ы	App. 1												REC EX- TINCT				ш	ш					

				PRC	PROTECTED	٥										LISTED	ED							
MAMMALS	rıs	CITES	S	SC	CA	표	MS	ΤX	RUSS	ETBNC	NCNHP	ETBNC NCNHP SCHTP	ESG	FCREPA ETPAA RTVM MSNHP TOES	ETPAA	RTVM	MSNHP		IUCN	SEWS	AFS	SSAR	AOU	AB
Manatees (Sirenia)			-																					
Manatee (Tricbecbus manatus latrostris)	μı	App. I	ш	Ē	EΣ	T-		'n		Œ	ы	SC	ы	T	EXTIR				D	ы				1
Even-toed Ungulates (Arriodactyla)			_																					
Key Deer (Odocoileus virgimanus clavium)	ш					ш								3					Q	ы				
																	( = L							
															£									
						1			1															
				1																				
					1													1	1					

		•